

WESDOME INTERSECTS 3.1 G/T GOLD OVER 106.5 METRES AT SHAWKEY 10, SIGNIFICANTLY EXPANDING THE MINERALIZED SYSTEM

Wesdome Gold Mines News Release, September 16, 2026 – Drill Hole Table

Note: The core length was used for this release, since true width needs to be determined with further modelling. The extension and possible thickness of the mineralized zone is being tested with further exploratory drilling within a wide corridor, so as not to limit the potential of discovery of anything new.

Table: Kiena Drill Assay Results (Previously Unreleased)

Figures in table may not add due to rounding

Shawkey 10

Hole No.	From (m)	To (m)	Core Length (m)	Grade (g/t Au)	Cut Grade (g/t Au)	Target
SH-26-001	387.0	388.0	1.0	0.8	0.8	Shawkey 10
SH-26-001	388.0	389.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	389.0	390.0	1.0	24.2	24.2	Shawkey 10
SH-26-001	390.0	391.0	1.0	3.4	3.4	Shawkey 10
SH-26-001	391.0	392.1	1.1	4.5	4.5	Shawkey 10
SH-26-001	392.1	393.2	1.1	1.2	1.2	Shawkey 10
SH-26-001	393.2	394.3	1.1	0.1	0.1	Shawkey 10
SH-26-001	394.3	395.3	1.0	0.1	0.1	Shawkey 10
SH-26-001	395.3	396.3	1.0	0.3	0.3	Shawkey 10
SH-26-001	396.3	397.0	0.7	0.1	0.1	Shawkey 10
SH-26-001	397.0	398.0	1.0	10.7	10.7	Shawkey 10
SH-26-001	398.0	398.5	0.5	1.6	1.6	Shawkey 10
SH-26-001	398.5	399.5	1.0	0.0	0.0	Shawkey 10
SH-26-001	399.5	400.5	1.0	3.0	3.0	Shawkey 10
SH-26-001	400.5	402.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	402.0	403.3	1.3	0.0	0.0	Shawkey 10
SH-26-001	403.3	404.5	1.2	0.2	0.2	Shawkey 10
SH-26-001	404.5	406.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	406.0	407.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	407.5	409.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	409.0	410.5	1.5	0.3	0.3	Shawkey 10
SH-26-001	410.5	412.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	412.0	413.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	413.5	414.4	0.9	0.2	0.2	Shawkey 10

SH-26-001	414.4	415.9	1.5	0.0	0.0	Shawkey 10
SH-26-001	415.9	417.0	1.1	0.0	0.0	Shawkey 10
SH-26-001	417.0	418.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	418.5	419.8	1.3	0.0	0.0	Shawkey 10
SH-26-001	419.8	420.8	1.0	59.2	59.2	Shawkey 10
SH-26-001	420.8	422.0	1.2	0.2	0.2	Shawkey 10
SH-26-001	422.0	423.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	423.5	424.6	1.1	139.1	90.0	Shawkey 10
SH-26-001	424.6	425.4	0.8	2.9	2.9	Shawkey 10
SH-26-001	425.4	426.4	1.0	2.3	2.3	Shawkey 10
SH-26-001	426.4	427.5	1.1	0.1	0.1	Shawkey 10
SH-26-001	427.5	429.0	1.5	0.2	0.2	Shawkey 10
SH-26-001	429.0	430.1	1.1	2.3	2.3	Shawkey 10
SH-26-001	430.1	430.6	0.5	1.2	1.2	Shawkey 10
SH-26-001	430.6	432.0	1.4	0.0	0.0	Shawkey 10
SH-26-001	432.0	433.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	433.5	435.0	1.5	0.7	0.7	Shawkey 10
SH-26-001	435.0	436.0	1.0	4.2	4.2	Shawkey 10
SH-26-001	436.0	437.3	1.3	0.0	0.0	Shawkey 10
SH-26-001	437.3	438.5	1.2	0.0	0.0	Shawkey 10
SH-26-001	438.5	439.5	1.0	0.1	0.1	Shawkey 10
SH-26-001	439.5	440.4	0.9	0.0	0.0	Shawkey 10
SH-26-001	440.4	441.8	1.4	2.4	2.4	Shawkey 10
SH-26-001	441.8	443.0	1.2	0.5	0.5	Shawkey 10
SH-26-001	443.0	444.3	1.3	0.9	0.9	Shawkey 10
SH-26-001	444.3	445.7	1.4	3.5	3.5	Shawkey 10
SH-26-001	445.7	447.0	1.3	0.0	0.0	Shawkey 10
SH-26-001	447.0	448.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	448.5	450.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	450.0	451.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	451.5	453.0	1.5	0.7	0.7	Shawkey 10
SH-26-001	453.0	454.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	454.5	455.7	1.2	2.2	2.2	Shawkey 10
SH-26-001	455.7	457.0	1.3	5.6	5.6	Shawkey 10
SH-26-001	457.0	458.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	458.5	460.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	460.0	461.3	1.3	0.0	0.0	Shawkey 10
SH-26-001	461.3	462.5	1.2	0.0	0.0	Shawkey 10
SH-26-001	462.5	463.6	1.1	0.0	0.0	Shawkey 10

SH-26-001	463.6	464.4	0.8	0.0	0.0	Shawkey 10
SH-26-001	464.4	465.1	0.7	0.2	0.2	Shawkey 10
SH-26-001	465.1	466.1	1.0	1.4	1.4	Shawkey 10
SH-26-001	466.1	467.0	0.9	0.0	0.0	Shawkey 10
SH-26-001	467.0	468.5	1.5	0.4	0.4	Shawkey 10
SH-26-001	468.5	470.0	1.5	12.0	12.0	Shawkey 10
SH-26-001	470.0	471.5	1.5	1.5	1.5	Shawkey 10
SH-26-001	471.5	473.0	1.5	2.4	2.4	Shawkey 10
SH-26-001	473.0	474.3	1.3	2.0	2.0	Shawkey 10
SH-26-001	474.3	475.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	475.8	477.3	1.5	0.1	0.1	Shawkey 10
SH-26-001	477.3	478.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	478.8	480.3	1.5	0.0	0.0	Shawkey 10
SH-26-001	480.3	481.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	481.8	482.5	0.7	0.0	0.0	Shawkey 10
SH-26-001	482.5	483.2	0.7	1.6	1.6	Shawkey 10
SH-26-001	483.2	484.4	1.2	0.0	0.0	Shawkey 10
SH-26-001	484.4	485.4	1.0	1.6	1.6	Shawkey 10
SH-26-001	485.4	485.9	0.5	0.2	0.2	Shawkey 10
SH-26-001	485.9	487.1	1.2	0.0	0.0	Shawkey 10
SH-26-001	487.1	488.3	1.2	0.3	0.3	Shawkey 10
SH-26-001	488.3	489.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	489.8	491.1	1.3	0.0	0.0	Shawkey 10
SH-26-001	491.1	492.4	1.3	0.2	0.2	Shawkey 10
SH-26-001	492.4	493.5	1.1	3.8	3.8	Shawkey 10
SH-26-001	599.0	600.0	1.0	0.5	0.5	Shawkey 10
SH-26-001	600.0	601.1	1.1	0.0	0.0	Shawkey 10
SH-26-001	601.1	601.6	0.5	0.0	0.0	Shawkey 10
SH-26-001	601.6	602.6	1.0	0.0	0.0	Shawkey 10
SH-26-001	602.6	604.0	1.4	1.3	1.3	Shawkey 10
SH-26-001	605.4	606.1	0.7	3.5	3.5	Shawkey 10
SH-26-001	606.1	607.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	607.1	608.6	1.5	0.4	0.4	Shawkey 10
SH-26-001	608.6	609.1	0.5	0.3	0.3	Shawkey 10
SH-26-001	609.1	610.6	1.5	0.0	0.0	Shawkey 10
SH-26-001	610.6	612.0	1.4	0.0	0.0	Shawkey 10
SH-26-001	612.0	613.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	613.5	614.0	0.5	0.0	0.0	Shawkey 10
SH-26-001	614.0	615.4	1.4	0.0	0.0	Shawkey 10

SH-26-001	615.4	616.9	1.5	0.1	0.1	Shawkey 10
SH-26-001	616.9	618.1	1.2	0.0	0.0	Shawkey 10
SH-26-001	618.1	619.5	1.4	0.0	0.0	Shawkey 10
SH-26-001	619.5	620.1	0.6	0.3	0.3	Shawkey 10
SH-26-001	620.1	621.0	0.9	0.1	0.1	Shawkey 10
SH-26-001	621.0	622.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	622.5	623.8	1.3	0.0	0.0	Shawkey 10
SH-26-001	623.8	624.3	0.5	0.0	0.0	Shawkey 10
SH-26-001	624.3	625.3	1.0	0.7	0.7	Shawkey 10
SH-26-001	625.3	626.7	1.4	0.2	0.2	Shawkey 10
SH-26-001	626.7	627.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	627.7	628.2	0.5	0.2	0.2	Shawkey 10
SH-26-001	628.2	629.7	1.5	0.0	0.0	Shawkey 10
SH-26-001	629.7	631.2	1.5	0.0	0.0	Shawkey 10
SH-26-001	631.2	632.7	1.5	0.0	0.0	Shawkey 10
SH-26-001	632.7	633.8	1.1	0.0	0.0	Shawkey 10
SH-26-001	633.8	635.2	1.4	0.0	0.0	Shawkey 10
SH-26-001	635.2	635.7	0.5	4.6	4.6	Shawkey 10
SH-26-001	635.7	636.3	0.6	0.7	0.7	Shawkey 10
SH-26-001	636.3	636.8	0.5	0.2	0.2	Shawkey 10
SH-26-001	636.8	637.7	0.9	0.0	0.0	Shawkey 10
SH-26-001	637.7	638.2	0.5	0.3	0.3	Shawkey 10
SH-26-001	638.2	639.7	1.5	0.0	0.0	Shawkey 10
SH-26-001	639.7	641.2	1.5	0.0	0.0	Shawkey 10
SH-26-001	641.2	642.2	1.0	0.0	0.0	Shawkey 10
SH-26-001	642.2	643.2	1.0	0.0	0.0	Shawkey 10
SH-26-001	643.2	644.0	0.8	1.4	1.4	Shawkey 10
SH-26-001	644.0	645.0	1.0	0.5	0.5	Shawkey 10
SH-26-001	645.0	646.4	1.4	0.9	0.9	Shawkey 10
SH-26-001	646.4	647.9	1.5	0.2	0.2	Shawkey 10
SH-26-001	647.9	649.3	1.4	0.5	0.5	Shawkey 10
SH-26-001	649.3	650.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	650.8	651.8	1.0	0.0	0.0	Shawkey 10
SH-26-001	651.8	652.7	0.9	0.5	0.5	Shawkey 10
SH-26-001	652.7	653.9	1.2	0.4	0.4	Shawkey 10
SH-26-001	653.9	654.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	654.9	656.4	1.5	0.0	0.0	Shawkey 10
SH-26-001	656.4	657.3	0.9	0.0	0.0	Shawkey 10
SH-26-001	657.3	657.8	0.5	0.5	0.5	Shawkey 10

SH-26-001	657.8	658.7	0.9	0.0	0.0	Shawkey 10
SH-26-001	658.7	659.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	659.7	660.8	1.1	0.4	0.4	Shawkey 10
SH-26-001	660.8	662.0	1.2	0.2	0.2	Shawkey 10
SH-26-001	662.0	663.0	1.0	0.7	0.7	Shawkey 10
SH-26-001	663.0	664.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	664.0	664.5	0.5	0.0	0.0	Shawkey 10
SH-26-001	664.5	666.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	666.0	666.8	0.8	0.0	0.0	Shawkey 10
SH-26-001	666.8	668.0	1.2	1.1	1.1	Shawkey 10
SH-26-001	668.0	669.4	1.4	0.2	0.2	Shawkey 10
SH-26-001	669.4	670.3	0.9	0.9	0.9	Shawkey 10
SH-26-001	670.3	671.8	1.5	0.1	0.1	Shawkey 10
SH-26-001	671.8	673.0	1.2	0.0	0.0	Shawkey 10
SH-26-001	673.0	674.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	674.0	674.5	0.5	1.9	1.9	Shawkey 10
SH-26-001	674.5	675.9	1.4	0.0	0.0	Shawkey 10
SH-26-001	675.9	677.4	1.5	0.0	0.0	Shawkey 10
SH-26-001	677.4	678.3	0.9	0.0	0.0	Shawkey 10
SH-26-001	678.3	679.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	679.8	680.3	0.5	1.8	1.8	Shawkey 10
SH-26-001	680.3	681.5	1.2	0.1	0.1	Shawkey 10
SH-26-001	681.5	682.5	1.0	0.0	0.0	Shawkey 10
SH-26-001	682.5	683.5	1.0	0.2	0.2	Shawkey 10
SH-26-001	683.5	684.5	1.0	1.4	1.4	Shawkey 10
SH-26-001	684.5	685.8	1.3	0.1	0.1	Shawkey 10
SH-26-001	685.8	687.3	1.5	0.0	0.0	Shawkey 10
SH-26-001	687.3	688.4	1.1	1.7	1.7	Shawkey 10
SH-26-001	688.4	689.4	1.0	1.1	1.1	Shawkey 10
SH-26-001	689.4	690.5	1.1	0.2	0.2	Shawkey 10
SH-26-001	690.5	691.9	1.4	0.0	0.0	Shawkey 10
SH-26-001	691.9	693.2	1.3	1.1	1.1	Shawkey 10
SH-26-001	693.2	694.5	1.3	2.6	2.6	Shawkey 10
SH-26-001	694.5	696.0	1.5	0.1	0.1	Shawkey 10
SH-26-001	696.0	697.4	1.4	0.0	0.0	Shawkey 10
SH-26-001	697.4	698.2	0.8	2.3	2.3	Shawkey 10
SH-26-001	698.2	699.7	1.5	0.3	0.3	Shawkey 10
SH-26-001	699.7	700.7	1.0	0.1	0.1	Shawkey 10
SH-26-001	700.7	702.0	1.3	0.0	0.0	Shawkey 10

SH-26-001	702.0	702.6	0.6	2.2	2.2	Shawkey 10
SH-26-001	702.6	704.0	1.4	0.0	0.0	Shawkey 10
SH-26-001	704.0	705.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	705.5	707.0	1.5	0.1	0.1	Shawkey 10
SH-26-001	707.0	708.2	1.2	0.0	0.0	Shawkey 10
SH-26-001	708.2	709.2	1.0	0.1	0.1	Shawkey 10
SH-26-001	709.2	710.2	1.0	0.0	0.0	Shawkey 10
SH-26-001	710.2	711.2	1.0	0.0	0.0	Shawkey 10
SH-26-001	711.2	712.3	1.1	0.2	0.2	Shawkey 10
SH-26-001	712.3	713.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	713.3	714.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	714.3	715.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	715.3	716.3	1.0	0.3	0.3	Shawkey 10
SH-26-001	716.3	717.2	0.9	0.4	0.4	Shawkey 10
SH-26-001	717.2	718.3	1.1	0.5	0.5	Shawkey 10
SH-26-001	718.3	719.3	1.0	1.5	1.5	Shawkey 10
SH-26-001	719.3	720.3	1.0	5.5	5.5	Shawkey 10
SH-26-001	720.3	721.3	1.0	0.4	0.4	Shawkey 10
SH-26-001	721.3	722.5	1.2	0.5	0.5	Shawkey 10
SH-26-001	722.5	723.5	1.0	1.1	1.1	Shawkey 10
SH-26-001	723.5	724.5	1.0	3.6	3.6	Shawkey 10
SH-26-001	724.5	725.5	1.0	1.0	1.0	Shawkey 10
SH-26-001	725.5	726.5	1.0	0.2	0.2	Shawkey 10
SH-26-001	726.5	727.5	1.0	0.8	0.8	Shawkey 10
SH-26-001	727.5	728.5	1.0	0.9	0.9	Shawkey 10
SH-26-001	728.5	729.5	1.0	0.8	0.8	Shawkey 10
SH-26-001	729.5	731.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	731.0	732.1	1.1	0.0	0.0	Shawkey 10
SH-26-001	732.1	733.0	0.9	0.0	0.0	Shawkey 10
SH-26-001	733.0	734.1	1.1	0.0	0.0	Shawkey 10
SH-26-001	734.1	735.1	1.0	0.8	0.8	Shawkey 10
SH-26-001	735.1	736.2	1.1	1.0	1.0	Shawkey 10
SH-26-001	736.2	737.2	1.0	0.0	0.0	Shawkey 10
SH-26-001	737.2	738.2	1.0	0.1	0.1	Shawkey 10
SH-26-001	738.2	739.3	1.1	0.8	0.8	Shawkey 10
SH-26-001	739.3	740.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	740.3	741.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	741.3	742.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	742.3	743.3	1.0	0.0	0.0	Shawkey 10

SH-26-001	743.3	744.3	1.0	2.0	2.0	Shawkey 10
SH-26-001	744.3	745.3	1.0	0.1	0.1	Shawkey 10
SH-26-001	745.3	746.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	746.3	747.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	747.3	748.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	748.3	749.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	749.3	750.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	750.3	751.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	751.3	752.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	752.3	753.3	1.0	0.1	0.1	Shawkey 10
SH-26-001	753.3	754.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	754.3	755.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	755.3	756.4	1.1	0.4	0.4	Shawkey 10
SH-26-001	756.4	757.4	1.0	0.2	0.2	Shawkey 10
SH-26-001	757.4	758.4	1.0	0.9	0.9	Shawkey 10
SH-26-001	758.4	759.5	1.1	2.5	2.5	Shawkey 10
SH-26-001	759.5	760.3	0.8	0.1	0.1	Shawkey 10
SH-26-001	760.3	761.5	1.2	1.5	1.5	Shawkey 10
SH-26-001	761.5	762.5	1.0	0.0	0.0	Shawkey 10
SH-26-001	762.5	763.6	1.1	0.0	0.0	Shawkey 10
SH-26-001	763.6	764.7	1.1	0.0	0.0	Shawkey 10
SH-26-001	764.7	765.7	1.0	1.1	1.1	Shawkey 10
SH-26-001	765.7	766.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	766.7	767.7	1.0	2.3	2.3	Shawkey 10
SH-26-001	767.7	769.0	1.3	0.2	0.2	Shawkey 10
SH-26-001	769.0	770.3	1.3	0.0	0.0	Shawkey 10
SH-26-001	770.3	771.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	771.3	772.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	772.3	773.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	773.3	774.3	1.0	0.0	0.0	Shawkey 10
SH-26-001	774.3	775.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	775.8	777.3	1.5	0.0	0.0	Shawkey 10
SH-26-001	777.3	778.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	778.8	780.3	1.5	0.0	0.0	Shawkey 10
SH-26-001	780.3	781.8	1.5	0.0	0.0	Shawkey 10
SH-26-001	781.8	782.8	1.0	0.0	0.0	Shawkey 10
SH-26-001	782.8	783.8	1.0	0.0	0.0	Shawkey 10
SH-26-001	783.8	784.7	0.9	0.0	0.0	Shawkey 10
SH-26-001	784.7	785.7	1.0	0.0	0.0	Shawkey 10

SH-26-001	785.7	786.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	786.7	787.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	787.7	788.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	788.7	789.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	789.7	790.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	790.7	791.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	791.7	792.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	792.7	793.7	1.0	0.2	0.2	Shawkey 10
SH-26-001	793.7	794.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	794.7	796.2	1.5	0.0	0.0	Shawkey 10
SH-26-001	796.2	797.7	1.5	0.0	0.0	Shawkey 10
SH-26-001	797.7	798.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	798.7	799.7	1.0	0.4	0.4	Shawkey 10
SH-26-001	799.7	800.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	800.7	802.2	1.5	2.6	2.6	Shawkey 10
SH-26-001	802.2	803.7	1.5	0.0	0.0	Shawkey 10
SH-26-001	803.7	804.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	804.7	805.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	805.7	806.7	1.0	0.8	0.8	Shawkey 10
SH-26-001	806.7	807.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	807.7	808.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	808.7	809.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	809.7	810.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	810.7	811.7	1.0	0.0	0.0	Shawkey 10
SH-26-001	811.7	813.1	1.4	0.0	0.0	Shawkey 10
SH-26-001	813.1	814.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	814.1	815.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	815.1	816.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	816.1	817.1	1.0	7.2	7.2	Shawkey 10
SH-26-001	817.1	818.1	1.0	1.3	1.3	Shawkey 10
SH-26-001	818.1	819.6	1.5	0.0	0.0	Shawkey 10
SH-26-001	819.6	821.1	1.5	0.0	0.0	Shawkey 10
SH-26-001	821.1	822.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	822.1	823.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	823.1	824.2	1.1	0.0	0.0	Shawkey 10
SH-26-001	824.2	825.6	1.4	0.0	0.0	Shawkey 10
SH-26-001	825.6	826.6	1.0	0.0	0.0	Shawkey 10
SH-26-001	826.6	827.6	1.0	0.0	0.0	Shawkey 10
SH-26-001	827.6	828.6	1.0	0.3	0.3	Shawkey 10

SH-26-001	828.6	829.6	1.0	0.0	0.0	Shawkey 10
SH-26-001	829.6	831.0	1.4	0.0	0.0	Shawkey 10
SH-26-001	831.0	832.5	1.5	0.0	0.0	Shawkey 10
SH-26-001	832.5	834.0	1.5	0.0	0.0	Shawkey 10
SH-26-001	834.0	834.9	0.9	0.0	0.0	Shawkey 10
SH-26-001	834.9	835.8	0.9	0.0	0.0	Shawkey 10
SH-26-001	835.8	837.2	1.4	0.0	0.0	Shawkey 10
SH-26-001	837.2	838.4	1.2	0.1	0.1	Shawkey 10
SH-26-001	838.4	839.8	1.4	1.0	1.0	Shawkey 10
SH-26-001	839.8	840.7	0.9	0.3	0.3	Shawkey 10
SH-26-001	840.7	841.4	0.7	0.0	0.0	Shawkey 10
SH-26-001	841.4	842.6	1.2	0.0	0.0	Shawkey 10
SH-26-001	842.6	843.8	1.2	0.0	0.0	Shawkey 10
SH-26-001	843.8	845.0	1.2	0.2	0.2	Shawkey 10
SH-26-001	845.0	845.6	0.6	0.1	0.1	Shawkey 10
SH-26-001	845.6	846.3	0.7	0.0	0.0	Shawkey 10
SH-26-001	846.3	847.0	0.7	0.1	0.1	Shawkey 10
SH-26-001	847.0	848.1	1.1	2.4	2.4	Shawkey 10
SH-26-001	848.1	849.1	1.0	0.9	0.9	Shawkey 10
SH-26-001	849.1	850.1	1.0	23.2	23.2	Shawkey 10
SH-26-001	850.1	851.0	0.9	0.0	0.0	Shawkey 10
SH-26-001	851.0	852.0	1.0	0.1	0.1	Shawkey 10
SH-26-001	852.0	853.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	853.0	854.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	854.0	855.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	855.0	856.1	1.1	0.0	0.0	Shawkey 10
SH-26-001	856.1	857.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	857.1	858.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	858.1	859.1	1.0	0.4	0.4	Shawkey 10
SH-26-001	859.1	860.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	860.1	861.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	861.1	862.2	1.1	0.2	0.2	Shawkey 10
SH-26-001	862.2	863.3	1.1	0.0	0.0	Shawkey 10
SH-26-001	863.3	864.4	1.1	0.0	0.0	Shawkey 10
SH-26-001	864.4	864.9	0.5	0.0	0.0	Shawkey 10
SH-26-001	864.9	865.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	865.9	866.6	0.7	0.1	0.1	Shawkey 10
SH-26-001	866.6	867.1	0.5	0.6	0.6	Shawkey 10
SH-26-001	867.1	868.1	1.0	5.5	5.5	Shawkey 10

SH-26-001	868.1	868.9	0.8	1.0	1.0	Shawkey 10
SH-26-001	868.9	869.7	0.8	2.4	2.4	Shawkey 10
SH-26-001	869.7	870.7	1.0	0.5	0.5	Shawkey 10
SH-26-001	870.7	872.0	1.3	0.4	0.4	Shawkey 10
SH-26-001	872.0	872.9	0.9	0.1	0.1	Shawkey 10
SH-26-001	872.9	873.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	873.9	874.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	874.9	875.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	875.9	876.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	876.9	877.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	877.9	878.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	878.9	879.8	0.9	0.0	0.0	Shawkey 10
SH-26-001	879.8	880.7	0.9	0.0	0.0	Shawkey 10
SH-26-001	880.7	881.6	0.9	0.0	0.0	Shawkey 10
SH-26-001	881.6	882.5	0.9	0.0	0.0	Shawkey 10
SH-26-001	882.5	883.8	1.3	0.0	0.0	Shawkey 10
SH-26-001	883.8	885.0	1.2	0.0	0.0	Shawkey 10
SH-26-001	885.0	886.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	886.0	887.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	887.0	888.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	888.0	889.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	889.0	890.1	1.1	0.1	0.1	Shawkey 10
SH-26-001	890.1	891.0	0.9	0.0	0.0	Shawkey 10
SH-26-001	891.0	891.9	0.9	0.0	0.0	Shawkey 10
SH-26-001	891.9	893.0	1.1	0.0	0.0	Shawkey 10
SH-26-001	893.0	894.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	894.0	895.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	895.0	896.0	1.0	0.1	0.1	Shawkey 10
SH-26-001	896.0	897.0	1.0	2.8	2.8	Shawkey 10
SH-26-001	897.0	898.0	1.0	0.2	0.2	Shawkey 10
SH-26-001	898.0	899.1	1.1	0.0	0.0	Shawkey 10
SH-26-001	899.1	900.1	1.0	2.8	2.8	Shawkey 10
SH-26-001	900.1	901.1	1.0	0.0	0.0	Shawkey 10
SH-26-001	901.1	902.0	0.9	0.0	0.0	Shawkey 10
SH-26-001	902.0	902.9	0.9	0.0	0.0	Shawkey 10
SH-26-001	902.9	903.8	0.9	0.0	0.0	Shawkey 10
SH-26-001	903.8	904.8	1.0	0.0	0.0	Shawkey 10
SH-26-001	904.8	905.8	1.0	0.0	0.0	Shawkey 10
SH-26-001	905.8	906.8	1.0	0.0	0.0	Shawkey 10

SH-26-001	906.8	907.9	1.1	0.1	0.1	Shawkey 10
SH-26-001	907.9	908.9	1.0	0.0	0.0	Shawkey 10
SH-26-001	908.9	910.0	1.1	0.0	0.0	Shawkey 10
SH-26-001	910.0	911.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	911.0	912.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	912.0	913.0	1.0	0.0	0.0	Shawkey 10
SH-26-001	913.0	914.0	1.0	0.2	0.2	Shawkey 10
SH-26-001	914.0	915.0	1.0	1.9	1.9	Shawkey 10
SH-26-001	915.0	915.5	0.5	2.4	2.4	Shawkey 10
SH-26-001	915.5	916.5	1.0	1.0	1.0	Shawkey 10
SH-26-001	916.5	917.5	1.0	4.2	4.2	Shawkey 10
SH-26-001	917.5	918.6	1.1	0.0	0.0	Shawkey 10
SH-26-001	918.6	919.6	1.0	3.9	3.9	Shawkey 10
SH-26-001	919.6	920.7	1.1	2.5	2.5	Shawkey 10
SH-26-001	920.7	921.7	1.0	1.5	1.5	Shawkey 10
SH-26-001	921.7	922.9	1.2	3.1	3.1	Shawkey 10
SH-26-001	922.9	923.7	0.8	0.0	0.0	Shawkey 10
SH-26-001	923.7	924.7	1.0	1.1	1.1	Shawkey 10
SH-26-001	924.7	925.7	1.0	2.6	2.6	Shawkey 10
SH-26-001	925.7	926.7	1.0	0.4	0.4	Shawkey 10
SH-26-001	926.7	927.7	1.0	0.2	0.2	Shawkey 10
SH-26-001	927.7	928.8	1.1	3.7	3.7	Shawkey 10
SH-26-001	928.8	929.8	1.0	1.5	1.5	Shawkey 10
SH-26-001	929.8	930.9	1.1	1.3	1.3	Shawkey 10
SH-26-001	930.9	932.0	1.1	0.7	0.7	Shawkey 10
SH-26-001	932.0	932.8	0.8	0.9	0.9	Shawkey 10
SH-26-001	932.8	933.4	0.6	0.3	0.3	Shawkey 10
SH-26-001	933.4	934.4	1.0	0.7	0.7	Shawkey 10
SH-26-001	934.4	935.4	1.0	1.5	1.5	Shawkey 10
SH-26-001	935.4	936.4	1.0	1.3	1.3	Shawkey 10
SH-26-001	936.4	937.4	1.0	1.9	1.9	Shawkey 10
SH-26-001	937.4	938.4	1.0	0.0	0.0	Shawkey 10
SH-26-001	938.4	939.4	1.0	0.0	0.0	Shawkey 10
SH-26-001	939.4	940.3	0.9	0.0	0.0	Shawkey 10
SH-26-001	940.3	940.9	0.6	0.0	0.0	Shawkey 10
SH-26-001	940.9	942.2	1.3	0.0	0.0	Shawkey 10
SH-26-001	942.2	943.2	1.0	0.0	0.0	Shawkey 10
SH-26-001	943.2	943.7	0.5	0.0	0.0	Shawkey 10
SH-26-001	943.7	944.4	0.7	0.0	0.0	Shawkey 10

SH-26-001	944.4	945.2	0.8	0.0	0.0	Shawkey 10
SH-26-001	945.2	946.2	1.0	0.1	0.1	Shawkey 10
SH-26-001	946.2	947.2	1.0	0.5	0.5	Shawkey 10
SH-26-001	947.2	948.2	1.0	0.2	0.2	Shawkey 10
SH-26-001	948.2	949.2	1.0	0.3	0.3	Shawkey 10
SH-26-001	949.2	950.1	0.9	1.0	1.0	Shawkey 10

TECHNICAL DISCLOSURE

Exploration Kiena drilling, the drill core NQ in size, was cut in half with a diamond saw resulting in a half core sample for assay and a half core sample to be retained for reference. Delineation drilling, in defined resource areas, is BQ in size and the entire core was sent for assay analysis. Analytical work is performed by ALS Minerals of Val-d'Or (Québec), a certified commercial laboratory (Accredited Lab #689). Sample preparation was completed at ALS Minerals in Val-d'Or (Québec). Assaying comprised fire assay methods with an atomic absorption finish. Any sample assaying >3 g/t Au was re-run using the fire assay method with gravimetric finish, and for any sample assaying >10 g/t Au was re-run with the metallic sieve method. In addition to laboratory internal duplicates, standards, and blanks, the geology department inserts blind duplicates, standards, and blanks into the sample stream at a frequency of one in twenty to monitor quality control.

QUALIFIED PERSONS

The technical content of this release has been compiled, reviewed, and approved by the following employees of Wesdome: Breanne Beh, P.Geo., (OGQ #2165) Director Surface and Greenfields Exploration; and Serge Gonthier, P.Geo., (OGQ #578) Principal Geologist, Resources and Geology. Each is a "Qualified Person" as defined in National Instrument 43-101 - Standards of Disclosure for Mineral Projects.